



RESEARCH IN A SNAP

OVERVIEW

We're keeping you updated on papers added to The Center's Knowledge Repository.

The Knowledge Repository is provided with the funding support of:

Academy of
Architecture for Health
an AIA Knowledge Community



Additional key point summaries provided by:



RESEARCH · DESIGN
CONNECTIONS

Knowledge Repository News

It's been a busy two months of entries into the Knowledge Repository with 47 new additions! Half of the new citations address three topics - infection control, acoustics/noise, and dementia care, and these citations reflect a combination of peer-reviewed journal articles, book chapters, and published conference proceedings. If you are headed to the annual HCD Expo & Conference in Orlando, think about brushing up on your networking banter with some of the latest research. It's always great plane reading and will get you into the conference mindset.

(Published ahead of print "in press" will be updated as volume and page information becomes available.)

September-October 2017

Infection Control

1. Franklin, E., & Stein, L. (2017). Human Factors Analysis of Infection Prevention Practices in the Anesthesia Work Environment. In Proceedings of the Human Factors and Ergonomics Society Annual Meeting (Vol. 61, pp. 639–642). Austin, TX: Sage Journals. <https://doi.org/10.1177/1541931213601644>
2. Greenhalgh, R., & Walker, J. T. (2017). Antimicrobial strategies for polymeric hygienic surfaces in healthcare. International Biodegradation & Biodegradation, 125(Supplement C), 214–227. <https://doi.org/10.1016/j.ibiod.2017.09.009>
3. Markley, J. D., & Stevens, M. P. (2017). Infection Control in the Outpatient Setting. In G. Bearman, S. Munoz-Price, D. Morgan, & R. Murthy (Eds.), New Perspectives and Controversies in Infection Prevention (p. in press).
4. Martin, L. D., Kallile, M., Kanmanthreddy, S., & Zerr, D. M. (2017). Infection prevention in pediatric anesthesia practice. Pediatric Anesthesia, 27(11), 1077–1083. <https://doi.org/10.1111/pan.13252>
5. McQueen, R. H., & Ehnes, B. L. (2017). Antimicrobial textiles and infection prevention - Clothes and inanimate environment. In G. Bearman, S. Munoz-Price, D. Morgan, & R. Murthy (Eds.), New Perspectives and Controversies in Infection Prevention (p. in press).
6. Mitchell, K. F., Barker, A. K., Abad, C. L., & Safdar, N. (2017). Infection control at an urban hospital in Manila, Philippines: a systems engineering assessment of barriers and facilitators. Antimicrobial Resistance & Infection Control, 6(90), 1–9. <https://doi.org/10.1186/s13756-017-0248-2>



7. Mousavi, E. S., & Grosskopf, K. R. (2016). Airflow patterns due to door motion and pressurization in hospital isolation rooms. *Science and Technology for the Built Environment*, 22(4), 379–384.
<https://doi.org/10.1080/23744731.2016.1155959>
8. Ortí-Lucas, R. M., & Muñoz-Miguel, J. (2017). Effectiveness of surface coatings containing silver ions in bacterial decontamination in a recovery unit. *Antimicrobial Resistance & Infection Control*, 6, 61.
<https://doi.org/10.1186/s13756-017-0217-9>
9. Rathore, M. H., Jackson, M. A., & Committee on Infectious Diseases. (2017). Infection Prevention and Control in Pediatric Ambulatory Settings. *Pediatrics*, e20172857. <https://doi.org/10.1542/peds.2017-2857>

Acoustics/Noise

10. Friedrich, M. G., Boos, M., Pagel, M., Thormann, T., Berakdar, A., Russo, S., & Tirilomis, T. (2017). New technical solution to minimise noise exposure for surgical staff: the 'silent operating theatre optimisation system.' *BMJ Innovations*, (in press), bmjinnov-2016-000188.
<https://doi.org/10.1136/bmjinnov-2016-000188>
11. Gallacher, S., Enki, D., Stevens, S., & Bennett, M. J. (2017). An experimental model to measure the ability of headphones with active noise control to reduce patient's exposure to noise in an intensive care unit. *Intensive Care Medicine Experimental*, 5, 47. <https://doi.org/10.1186/s40635-017-0162-1>
12. Kalafata, S., & Waye, K. P. (2017). The Importance of Low Frequency Masking on Auditory Perception (Literature Review No. 4:2017) (p. 32). Gothenburg, Sweden: Unit for Occupational & Environmental Medicine in Gothenburg. Retrieved from
https://gupea.ub.gu.se/bitstream/2077/53429/1/gupea_2077_53429_1.pdf
13. Kawai, Y., Weatherhead, J. R., Traube, C., Owens, T. A., Shaw, B. E., Fraser, E. J., ... Niedner, M. F. (2017). Quality Improvement Initiative to Reduce Pediatric Intensive Care Unit Noise Pollution With the Use of a Pediatric Delirium Bundle. *Journal of Intensive Care Medicine*, in press.
<https://doi.org/10.1177/0885066617728030>
14. Kramer, B., Joshi, P., & Heard, C. (2016). Noise pollution levels in the pediatric intensive care unit. *Journal of Critical Care*, 36, 111–115.
<https://doi.org/10.1016/j.jcrc.2016.06.029>
15. Ma, K. W., Wong, H. M., & Mak, C. M. (2017). Dental Environmental Noise Evaluation and Health Risk Model Construction to Dental Professionals. *International Journal of Environmental Research and Public Health*, 14(9), 1084. <https://doi.org/10.3390/ijerph14091084>
16. Utami, S. S., Yanti, R. J., Sarwono, J., Fela, R. F., & Azzahra, E. R. N. (2017). Design considerations for improvement of speech intelligibility and privacy in a hospital Intensive Care Unit. Presented at the 24th International Congress on Sound and Vibration (ICSV24), London, UK.



17. Watts, G., Khan, A., & Pheasant, R. (2016). Influence of soundscape and interior design on anxiety and perceived tranquility of patients in a healthcare setting. *Applied Acoustics*, 104(Supplement C), 135–141. <https://doi.org/10.1016/j.apacoust.2015.11.007>

Dementia Care

18. Brooke, J., & Semlyen, J. (2017). Exploring the impact of dementia-friendly ward environments on the provision of care: A qualitative thematic analysis. *Dementia* (London, England), in press. <https://doi.org/10.1177/1471301216689402>
19. Fleming, R., Goodenough, B., Low, L.-F., Chenoweth, L., & Brodaty, H. (2016). The relationship between the quality of the built environment and the quality of life of people with dementia in residential care. *Dementia*, 15(4), 663–680. <https://doi.org/10.1177/1471301214532460>
20. Gitlin, L. N., Hodgson, N., Piersol, C. V., Hess, E., & Hauck, W. W. (2014). Correlates of Quality of Life for Individuals with Dementia Living at Home: The Role of Home Environment, Caregiver, and Patient-related Characteristics. *The American Journal of Geriatric Psychiatry : Official Journal of the American Association for Geriatric Psychiatry*, 22(6), 587–597. <https://doi.org/10.1016/j.jagp.2012.11.005>
21. Hanford, N., & Figueiro, M. (2013). Light Therapy and Alzheimer's Disease and Related Dementia: Past, Present, and Future. *Journal of Alzheimer's Disease : JAD*, 33(4), 913–922. <https://doi.org/10.3233/JAD-2012-121645>
22. Lee, S. Y., Chaudhury, H., & Hung, L. (2016). Exploring staff perceptions on the role of physical environment in dementia care setting. *Dementia*, 15(4), 743–755. <https://doi.org/10.1177/1471301214536910>
23. Waller, S., Masterson, A., & Evans, S. C. (2017). The development of environmental assessment tools to support the creation of dementia friendly care environments: Innovative practice. *Dementia*, 16(2), 226–232. <https://doi.org/10.1177/1471301216635829>
24. Wong, J. K.-W., Skitmore, M., Buys, L., & Wang, K. (2014). The effects of the indoor environment of residential care homes on dementia sufferers in Hong Kong: A critical incident technique approach. *Building and Environment*, 73(Supplement C), 32–39. <https://doi.org/10.1016/j.buildenv.2013.12.001>

Building Systems (Air Quality, etc.)/Facilities Management

25. Derby, M. M., Hamehkasi, M., Eckels, S., Hwang, G. M., Jones, B., Maghirang, R., & Shulan, D. (2017). Update of the scientific evidence for specifying lower limit relative humidity levels for comfort, health, and indoor environmental quality in occupied spaces (RP-1630). *Science and Technology for the Built Environment*, 23(1), 30–45. <https://doi.org/10.1080/23744731.2016.1206430>
26. Edirisinghe, R., London, K. A., Kalutara, P., & Aranda -Mena, G. (2017). Building information modelling for facility management: are we there yet? *Engineering, Construction and Architectural Management*, in press. <https://doi.org/10.1108/ECAM-06-2016-0139>



27. González González, A., García-Sanz-Calcedo, J., & Salgado, D. R. (2017). A quantitative analysis of final energy consumption in hospitals in Spain. *Sustainable Cities and Society*, in press.
<https://doi.org/10.1016/j.scs.2017.10.029>
28. Gormley, T., Markel, T. A., Jones, H., Greeley, D., Ostojic, J., Clarke, J. H., ... Wagner, J. (2017). Cost-benefit analysis of different air change rates in an operating room environment. *American Journal of Infection Control*, in press. <https://doi.org/10.1016/j.ajic.2017.07.024>
29. Jacobs, V. A., Van Gaever, R., Hanselaer, P., Vanlanduit, S., Rombauts, P., & Diltoer, M. (2017). Improved system and method for illumination and ventilation of an operating room. In CIE2017 Midterm Meeting - conference proceedings. Jeju, South Korea: CIE National Committee of Korea. Retrieved from
https://cris.cumulus.vub.ac.be/portal/files/32814055/CIE2017_JacobsValeryAnn.pdf
30. Lan, L., Tushar, W., Otto, K., Yuen, C., & Wood, K. L. (2017). Thermal comfort improvement of naturally ventilated patient wards in Singapore. *Energy and Buildings*, 154, 499–512.
<https://doi.org/10.1016/j.enbuild.2017.07.080>

Design Process

31. Davoodi, A., Johansson, P., Henricson, M., & Aries, M. (2017). A Conceptual Framework for Integration of Evidence-Based Design with Lighting Simulation Tools. *Buildings*, 7(4), 82.
<https://doi.org/10.3390/buildings7040082>
32. Kutzin, J. M. (2016). Simulation Design Considerations 2.0: Optimizing Space and Operations. *Clinical Simulation in Nursing*, 12(6), 187–196.
<https://doi.org/10.1016/j.ecns.2016.01.012>
33. Okada, R. C., Simons, A. E., & Sattineni, A. (2017). Owner-requested Changes in the Design and Construction of Government Healthcare Facilities. In *Procedia Engineering* (Vol. 196, pp. 592–606). Primosten, Croatia: Elsevier. <https://doi.org/10.1016/j.proeng.2017.08.047>
34. Sadek, A. H., & Shepley, M. M. (2016). Space Syntax Analysis: Tools for Augmenting the Precision of Healthcare Facility Spatial Analysis. *HERD: Health Environments Research & Design Journal*, 10(1), 114–129.
<https://doi.org/10.1177/1937586715624225>
35. Smith, I. (2016). The Participative Design of an Endoscopy Facility using Lean 3P. *BMJ Open Quality*, 5(1), u208920.w3611.
<https://doi.org/10.1136/bmjquality.u208920.w3611>

Methodology (Performance Evaluation)

36. Kato, A., Mori, S., & Kato, M. (2018). Emerging Trends in Performance Evaluation of Pediatric Intensive Care Units in Japanese Children's Hospitals. In W. F. E. Preiser, A. E. Hardy, & U. Schramm (Eds.), *Building Performance Evaluation* (pp. 285–294). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-56862-1_22



37. Parshall, S., & Fonseca, S. (2018). Towards Wellbeing: Hospital Evaluation Using the Problem-Seeking Method. In Building Performance Evaluation (pp. 231–247). Springer, Cham. https://doi.org/10.1007/978-3-319-56862-1_18
38. Preiser, W. F. E., Petronis, J. P., Petronis, J. W., & Petronis, L. (2018). Towards a Hospital Activation Process Model. In W. F. E. Preiser, A. E. Hardy, & U. Schramm (Eds.), Building Performance Evaluation (pp. 99–113). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-56862-1_8

Other

39. Anåker, A., Von Koch, L., & Elf, M. (2016). Designing Inclusive Architecture: Facilitators and Barriers of the Healthcare Environment for Rehabilitation at Stroke Units. In P. Langdon, J. Lazar, A. Heylighen, & H. Dong (Eds.), Designing Around People (pp. 229–230). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-29498-8_23
40. Becker, F. (2018). Post-Occupancy Evaluation: Research Paradigm or Diagnostic Tool. In W. F. E. Preiser, A. E. Hardy, & U. Schramm (Eds.), Building Performance Evaluation (pp. 223–230). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-56862-1_17
41. Daemen, E., van Loenen, E., & Cuppen, R. (2014). The Impact of the Environment on the Experience of Hospitalized Stroke Patients – An Exploratory Study. In E. Aarts, B. de Ruyter, P. Markopoulos, E. van Loenen, R. Wichert, B. Schouten, ... G. O'Hare (Eds.), Ambient Intelligence (Vol. 8850, pp. 114–124). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-14112-1_10
42. Greenroyd, F. L., Hayward, R., Price, A., Demian, P., & Sharma, S. (2016). Using Evidence-Based Design to Improve Pharmacy Department Efficiency. HERD: Health Environments Research & Design Journal, 10(1), 130–143. <https://doi.org/10.1177/1937586716628276>
43. Harper, C., Avera, A., Crosser, A., Jefferies, S., & Duke, T. (2017). An Exploration of Interactive Wayfinding Displays in Hospitals: Lessons Learned for Improving Design. In Proceedings of the Human Factors and Ergonomics Society Annual Meeting (Vol. 61, pp. 1119–1123). Austin, TX: Sage Journals. <https://doi.org/10.1177/1541931213601884>
44. Kaar, S. J., Walker, H., Sethi, F., & McIvor, R. (2017). The function and design of seclusion rooms in clinical settings. Journal of Psychiatric Intensive Care, 13(2), 83–91. <https://doi.org/10.20299/jpi.2017.007>
45. Rodiek, S., Lee, C., & Nejati, A. (2014). You Can't Get There From Here: Reaching the Outdoors in Senior Housing. Journal of Housing For the Elderly, 28(1), 63–84. <https://doi.org/10.1080/02763893.2013.858093>
46. Sung, L.-Y., & Lee, W. (2015). The Study on the Design of Daylight Window in Korea Hospital Wards by Ages. In Proceedings International Workshop Architecture and Civil Engineering (Vol. 112, pp. 20–24). Jeju Island, Korea: SERSC: Science & Engineering Research Support soCiety. <https://doi.org/10.14257/astl.2015.112.04>



47. Zadeh, R. S., Eshelman, P., Setla, J., Kennedy, L., Hon, E., & Basara, A. (2017). Environmental design for end-of-life care: An integrative review on improving quality of life and managing symptoms for patients in institutional settings. *Journal of Pain and Symptom Management*, in press.
<https://doi.org/10.1016/j.jpainsympman.2017.09.011>