

ICONS and Innovators Webinar Series
CEU Verification Form & Quiz



To earn AIA Continuing Education Units, purchase a CEU Management fee, complete the verification form and quiz questions and submit to Natalie Gonzalez at ngonzalez@healthdesign.org.

Participant Name: _____

AIA Member #: _____

Provider Name: **The Center for Health Design** Provider Number: **Z009**

I purchased a CEU Management fee Order # _____

Attended	AIA	Webinar Title	LU Hours	HSW
Yes <input type="checkbox"/> No <input type="checkbox"/>	WEB21C12_ON	Design Strategies that Reduce Aggression in Child and Adolescent Mental Health Facilities	1.0	Yes

1. The _____ shapes behaviors better than rules.
2. Open and accessible nurse stations can instill a sense of _____.
3. Everything we do in design evokes a _____ response.
4. An example of a word from a positive behavioral environment includes _____.
5. A person with autism can have a negative sensory response that triggers _____.
6. Give an example of a feature that might be incorporated into a Sensory room.
_____.
7. Which sense does Proprioceptive refer to?
 - a. Touch
 - b. Taste
 - c. Motion
 - d. Spatial Awareness
8. Provide an example of sudden sound that might trigger anxiety among children with sensory sensitivity _____.

NOTE: To have your credit uploaded to the AIA, you must purchase a CEU Management fee from The Center for Health Design store. This \$12.00 fee covers the administrative cost of uploading CEUs to the AIA. <https://www.healthdesign.org/store/products/events-webinars>



ICONS and Innovators Webinar Series
CEU Verification Form & Quiz

9. Name one of the two types of environments referenced in post-occupancy examples: _____.
10. Examples of improved outcomes measured in the post-occupancy examples include: _____.

NOTE: To have your credit uploaded to the AIA, you must purchase a CEU Management fee from The Center for Health Design store. This \$12.00 fee covers the administrative cost of uploading CEUs to the AIA. <https://www.healthdesign.org/store/products/events-webinars>